

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK SILICONE KITCHEN & BATHROOM AC White

Product Code(s) 30804571 30804571

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia

Label elements

Hazard statements

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia

Other hazards which do not result in classification

Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing Toxic to aquatic life with long lasting effects

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Australia - EN Page 1/8

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Non-hazardous ingredients Proprietary Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contactWash skin with soap and water. Get medical attention if irritation develops and persists.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Thermal decompos

chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon dioxide (CO2). Silicon dioxide.

Special protective actions for fire-fighters

Special protective equipment for Wear self contained breathing apparatus for fire fighting if necessary.

Australia - EN Page 2/8

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautionsDo not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containmentDo not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon

curing.

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Australia - EN Page 3/8

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color White
Odor Acetic acid

Odor threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution)
Melting point / freezing point
Initial boiling point and boiling
No data available
No data available

range

Flash point 93 °C Evaporation rate 41

Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data available

Relative density 1.03

Water solubility Insoluble in water Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity No data available No information available **Explosive properties** Oxidizing properties No information available

Other information

Solid content (%)

No information available

Pensity

No information available

VOC Content (%) No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Australia - EN Page 4/8

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not

freeze. Keep away from open flames, hot surfaces and sources of ignition.

Revision date 05-Sep-2021

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Acetic acid. Carbon oxides. Formaldehyde.

Section 11: Toxicological information

Acute Toxicity

products

Information on likely routes of exposure

Based on available data, the classification criteria are not met. Inhalation

Eye contact Based on available data, the classification criteria are not met. Contact with eyes may

cause irritation.

Based on available data, the classification criteria are not met. Skin contact

Based on available data, the classification criteria are not met. Ingestion

No information available. **Symptoms**

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-dust/mist) 19.40

Component Information

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Serious eye damage/eye irritation

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity No information available.

Based on available data, the classification criteria are not met. As Titanium dioxide Carcinogenicity

(13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Australia - EN Page 5/8

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

Reproductive toxicity No information available.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Mobility

Mobility in soil No information available.

Mobility No information available.

Other Adverse Effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused Uncured product should be disposed of as hazardous waste. Dispose of

products contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Australia - EN Page 6/8

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

International Inventories

AICS	Listed
NZIoC	Listed
ENCS	Listed
IECSC	Listed
KECL	Listed
PICCS	Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	SVHC candidates
Octamethylcyclotetrasiloxane [D4]	X
556-67-2	

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Australia - EN Page 7/8

Revision date 05-Sep-2021

BOSTIK SILICONE KITCHEN & BATHROOM AC White

Revision Number 2 Supersedes Date: 05-Sep-2016

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 05-Sep-2021

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 8/8