

Version 1.2	Revision Date: 08.07.2021		S Number: 0000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020
SECTIO	N 1. PRODUCT AND CC	OMPA		ION
Du	h . t			
	duct name duct code	•	FULLERTRADE 100000013218	CONS ADH
Mar	nufacturer or supplier's	deta	ils	
Cor	npany	:	H.B. Fuller Com	pany Australia Pty. Ltd.
Add	lress	:	16-22 Red Gum	Drive Dandenong South, VIC 3175
Tele	ephone	:	+611800423855	
Eme	ergency telephone numb	er :	1800 033 111(A	U) 0800 734 607(NZ)
	commended use of the commended use		iical and restricti Solvent based a	
Res	strictions on use	:	For industrial us	e only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 2
Skin corrosion/irritation	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H225 Highly flammable liquid and vapour. H315 Causes skin irritation.
		1 / 11



Revision Date: 08.07.2021	SDS Number: 100000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020
	H335 May cau	ise respiratory irritation.
utionary statements	No smoking. P233 Keep co P240 Ground/ P241 Use exp ment. P242 Use only P243 Take pre P261 Avoid br P264 Wash sk P271 Use only	vay from heat/ sparks/ open flames/ hot surfaces ntainer tightly closed. bond container and receiving equipment. losion-proof electrical/ ventilating/ lighting equip / non-sparking tools. ecautionary measures against static discharge. eathing dust/ fume/ gas/ mist/ vapours/ spray. kin thoroughly after handling. / outdoors or in a well-ventilated area. otective gloves/ eye protection/ face protection.
	Response: P303 + P361 immediately al shower. P304 + P340 and keep at re POISON CEN P332 + P313 tion. P362 Take off P370 + P378	 + P353 IF ON SKIN (or hair): Remove/ Take off Il contaminated clothing. Rinse skin with water/ + P312 IF INHALED: Remove victim to fresh air est in a position comfortable for breathing. Call a TER or doctor/ physician if you feel unwell. If skin irritation occurs: Get medical advice/ atter contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or ant foam for extinction.
	tightly closed. P403 + P235	Store in a well-ventilated place. Keep container Store in a well-ventilated place. Keep cool.
	Disposal:	of contents/ container to an approved waste
		H335 May cau H335 May cau Prevention: P210 Keep aw No smoking. P233 Keep co P240 Ground/ P241 Use exp ment. P242 Use only P243 Take pre P261 Avoid br P264 Wash sk P271 Use only P280 Wear pre P303 + P361 immediately al shower. P304 + P340 and keep at re P0ISON CEN P332 + P313 I tion. P362 Take off P370 + P378 I alcohol-resista Storage: P403 + P233 S tightly closed. P403 + P233 S tightly closed. P403 + P235 S P405 Store loo Disposal: P501 Dispose

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



Vers 1.2			SDS Number: 100000013218		sue: 28.06.2021 sue: 28.08.2020
	Chemical name			CAS-No.	Concentration (% w/w)
	Naphtha (petroleum), hydrotreated light			64742-49-0	>= 20 -< 30
	kaolin			1332-58-7	>= 10 -< 30
	calcium carbonate			471-34-1	>= 10 -< 30

SECTION 4. FIRST AID MEASURES

General advice	:	Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	:	Flush eyes with water at least 15 minutes. Get medical atten- tion if eye irritation develops or persists.
If swallowed	:	Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	•3Y

SECTION 6. ACCIDENTAL RELEASE MEASURES

Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentra-
tions. Vapours can accumulate in low areas.
Refer to protective measures listed in sections 7 and 8.



Ver 1.2	sion	Revision Date: 08.07.2021		S Number: 0000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020
	Environ	mental precautions	:	Prevent spreading barriers).	g over a wide area (e.g. by containment or oil
		s and materials for ment and cleaning up	:		t absorbent material. ovel into suitable containers for disposal. s should be used.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	:	Use only with adequate ventilation.
Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Keep in a bunded area. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Use only in area provided with appropriate exhaust ventilation. Vapours may form explosive mixtures with air.
Advice on safe handling	:	Avoid inhalation of vapour or mist. Do not use in areas without adequate ventilation. Keep away from fire, sparks and heated surfaces. Keep container closed when not in use. Take precautionary measures against static discharges.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Provide adequate ventilation.
Conditions for safe storage	:	Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Keep containers tightly closed in a dry, cool and well- ventilated place. Keep away from sources of ignition - No smoking. Solvent vapours are heavier than air and may spread along floors.
Materials to avoid	:	Strong oxidizing agents
Further information on stor- age stability	:	Stable under normal conditions.



Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2021	
1.2	08.07.2021	10000013218	Date of first issue: 28.08.2020	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Naphtha (petroleum), hy- drotreated light	64742-49-0	TWA	900 mg/m3	AU OEL
kaolin	1332-58-7	TWA	10 mg/m3	AU OEL
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
calcium carbonate	471-34-1	TWA	10 mg/m3	AU OEL
		ation: This value < 1% crystalline	is for inhalable dust silica	containing no
Engineering measures	: Use local exh minimize exp		or other engineering	controls to
Personal protective equipme	nt			
Respiratory protection	ventilation is	provided or expo	ess adequate local e sure assessment de ommended exposure	monstrates
Filter type	: Organic vapo	our type		
Hand protection Material	: Solvent-resis	tant gloves		
Eye protection	: Safety glasse	es with side-shiel	ds	

Components with workplace control parameters

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	5 / 11	
Melting point/freezing point	: is not determined	
Odour Threshold	: No data available	
Odour	: characteristic	
Colour	: brown	
Appearance	: liquid	



Versi 1.2	on	Revision Date: 08.07.2021		S Number:)000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020
I	Boiling	point/boiling range	:	is not determined	I
ł	Flash p	oint	:	-4 °C	
I	Evapor	ation rate	:	is not determined	I
		explosion limit / Upper bility limit	:	Upper flammabili is not determined	
		explosion limit / Lower bility limit	:	Lower flammabili	
١	Vapour	pressure	:	is not determined	I
[Density	,	:	1.150 g/cm3	
Ś	Solubili Wat	ty(ies) er solubility	:	is not determined	1
	Partitio octanol	n coefficient: n- /water	:	No data available	2
/	Auto-ig	nition temperature	:	is not determined	I
Ň	Viscosi Visc	ty osity, dynamic	:	is not determined	I

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur.
Conditions to avoid	:	Heat, flames and sparks.
Hazardous decomposition products	:	Stable under normal conditions.



Version 1.2	Revision Date: 08.07.2021	SDS Number: 100000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020	
SECTION	11. TOXICOLOGICA	L INFORMATION		
Skin	corrosion/irritation			
Prod	uct:			
Rema	arks	: No data avai	able	
Serio	ous eye damage/eye	irritation		
Prod	uct:			
Rema	arks	: No data avai	able	
Chro	nic toxicity			
	n cell mutagenicity			
Prod	uct:			
		: Remarks: No	data available	
Carci	inogenicity			
Prod	uct:			
Rema	arks	: No data avai	able	
Repr	oductive toxicity			
Prod	uct:			
Effect	ts on fertility	: Remarks: No	data available	
STO	۲ - single exposure			
Prod	uct:			
Rema		: No data avai	able	
STO	r - repeated exposu	e		
Prod	<u>uct:</u>			
Rema		: No data avai	able	



	Version 1.2	Revision Date: 08.07.2021	SDS Number: 100000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020	
--	----------------	------------------------------	-----------------------------	---	--

SECTION 12. ECOLOGICAL INFORMATION

Othe	er adverse effects		
	bility in soil data available		
	accumulative potential data available		
No d	sistence and degradability data available		
No d	t oxicity data available		

Disposal methods

label also apply to any residues left in the container.	Waste from residues	:	Dispose of as hazardous waste in compliance with local and national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.
---	---------------------	---	--

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels	:	UN 1133 ADHESIVES 3 III 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		UN 1133 Adhesives 3 III Flammable Liquids 366 355

IMDG-Code



Version 1.2	Revision Date: 08.07.2021	SDS Number: 100000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020	
UN nu Propei	mber r shipping name	: UN 1133 : ADHESIVES		
Labels EmS C		: 3 : III : 3 : F-E, S-D : no		
	•		RPOL 73/78 and the IBC Code	

Not applicable for product as supplied.

National Regulations

ADG		
UN number	:	UN 1133
Proper shipping name	:	ADHESIVES
Class	:	3
Packing group	:	III
Labels	:	3
Hazchem Code	:	•3Y

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

: Schedule 5 Standard for the Uniform Scheduling of Medicines and Poisons

Prohibition/Licensing Requirements

: quartz (SiO2) Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

The components of this pro	oduc	ct are reported in the following inventories:
TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DS

All components of this product are on the Canadian DSL 1



Version 1.2	Revision Date: 08.07.2021		DS Number: 00000013218	Date of last issue: 28.06.2021 Date of first issue: 28.08.2020	
REAC	H	:	Not in compliance	e with the inventory	
AIIC		: On the inventory, or in compliance with the inventory			
NZIoC	2	:	: On the inventory, or in compliance with the inventory		
ENCS	5	:	Not in compliance	e with the inventory	
KECI		:	Not in compliance	e with the inventory	
PICCS	6	:	: Not in compliance with the inventory		
IECS	C	:	Not in compliance with the inventory		
TCSI		:	Not in compliance	e with the inventory	

SECTION 16. OTHER INFORMATION

Further information Revision Date	:	08.07.2021
Contact Point	:	Prepared by: Global Regulatory Department - phone: 1-651- 236-5842 - email: msds.request@hbfuller.com
Date format	:	dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH AU OEL	:	USA. ACGIH Threshold Limit Values (TLV) Australia. Workplace Exposure Standards for Airborne Con- taminants.
ACGIH / TWA AU OEL / TWA	:	8-hour, time-weighted average Exposure standard - time weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2021
1.2	08.07.2021	10000013218	Date of first issue: 28.08.2020

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN